

14 JUL 2026

Fwd: Inputs required for Rajya Sabha Parliament Question Diary N...

https://mail.mgovcloud.in/zm/?fromService=wp&wpVersion=2b0

Fwd: Inputs required for Rajya Sabha Parliament Question Diary Number S200 to be answered on 21/07/2026 regarding RTS on Government Buildings.

dghrdcbic-saket

< dghrdcbic-saket@gov.in >

Section Cx9 < section-cx9@gov.in >

Tue, 14 Jul 2026 1:04:32 PM +0530

To "DGHRD INFRA"<dginfra.cbic@gov.in>,"DGHRD I&W/EMC"<dghrdcbic-saket@gov.in>

ADG (Admin)

ADG Admin
immediate
in

Madam/Sir,

Please refer to the trail mails and attached documents on the captioned subject for urgent inputs.

Regards,

CX.9 Section, CBIC

Recd
B.P.
15/7/26

Supdt. (P&C)
urgent - PL.
ms. laxmi (CA)
urgently pls.

===== Forwarded message =====

From: Modassar Shafi <osdcx9-cbec@gov.in>

To: "Section Cx9" <section-cx9@gov.in>

Date: Tue, 14 Jul 2026 12:17:32 +0530

Subject: Fwd: Inputs required for Rajya Sabha Parliament Question Diary Number S200 to be answered on 21/07/2026 regarding RTS on Government Buildings.

===== Forwarded message =====

Regards,

Modassar Shafi, IRS
Deputy Secretary, CX3&9,
Central Board of Indirect Taxes & Customs,
Department of Revenue,
Room No. 14061, 4th Floor, Kartavya Bhavan-1

===== Forwarded message =====

From: Himani Bhayana <commrcx9-cbic@gov.in>

To: "Modassar Shafi" <osdcx9-cbec@gov.in>

Date: Mon, 13 Jul 2026 17:46:00 +0530

Subject: Fwd: Inputs required for Rajya Sabha Parliament Question Diary Number S200 to

be answered on 21/07/2026 regarding RTS on Government Buildings.

===== Forwarded message =====

===== Forwarded message =====

From: Deepanshu Deepanshu <deepanshu.08@gov.in>
To: "Roopak Kumar" <commcoord-cbdt@nic.in>, "Himani Bhayana" <commrcx9-cbic@gov.in>, "dircrcl-cbec" <dircrcl-cbec@nic.in>, "dcitinfra" <dcitinfra@gmail.com>, "CCF Office Delhi" <goaf.ccf@cbn.nic.in>, "narcommr" <narcommr@cbn.nic.in>
Cc: "SH Ravi Agrawal" <chairman-cbdt@nic.in>, "Shri Vivek Chaturvedi" <chmn-cbic@gov.in>, "Hemraj Meena" <uscoor.dor@gov.in>, "Sagar Mann" <so.coord-rev@gov.in>, "Manjeet" <manjeet.5@gov.in>, "Director Narcotics Control" <dirnc-dor@nic.in>
Date: Mon, 13 Jul 2026 15:37:14 +0530
Subject: Inputs required for Rajya Sabha Parliament Question Diary Number S200 to be answered on 21/07/2026 regarding RTS on Government Buildings.
===== Forwarded message =====

Respected Sir/Madam,

Kindly refer to the attached provisionally admitted Rajya Sabha Question Dy. No. S200, regarding "RTS on Government Buildings", due for answer on 21.07.2026.

2. In this regard, I have been directed to request you to kindly furnish part-wise reply i.e.(a) to (c), to this Division immediately.

Yours faithfully,

Deepanshu,
ASO (Coord.),
Department of Revenue.

===== Forwarded message =====

From: Manjeet <manjeet.5@gov.in>
To: "Deepanshu Deepanshu" <deepanshu.08@gov.in>
Date: Mon, 13 Jul 2026 15:31:14 +0530
Subject: Fwd: Fw: Inputs required for Rajya Sabha Parliament Question Diary Number S200 to be answered on 21/07/2026 regarding RTS on Government Buildings.
===== Forwarded message =====

===== Forwarded message =====

From: Hemraj Meena <uscoor.dor@gov.in>
To: "Sagar Mann" <so.coord-rev@gov.in>, "Manjeet" <manjeet.5@gov.in>
Date: Mon, 13 Jul 2026 14:59:48 +0530
Subject: Fwd: Fw: Inputs required for Rajya Sabha Parliament Question Diary Number S200 to be answered on 21/07/2026 regarding RTS on Government Buildings.
===== Forwarded message =====

"amar.kushawha@ias.nic.in" <amar.kushawha@ias.nic.in>,
"us.admin@commerce.gov.in" <us.admin@commerce.gov.in>, "ds-
ftcoord@commerce.gov.in" <ds-ftcoord@commerce.gov.in>,
"anilc.kandpal@nic.in" <anilc.kandpal@nic.in>,
"sumesh.malik@gov.in" <sumesh.malik@gov.in>, "ee1.section-edu@gov.in" <ee1.section-
edu@gov.in>, "manish7280.agarwal@meity.co.in" <manish7280.agarwal@meity.co.in>,
"chetan.kumar0077@meity.co.in" <chetan.kumar0077@meity.co.in>,
"shobendra.b@meity.co.in" <shobendra.b@meity.co.in>,
"d.praveen@nic.in" <d.praveen@nic.in>, "js.me-mohfu@gov.in" <js.me-mohfu@gov.in>,
"jsbm2@mha.gov.in" <jsbm2@mha.gov.in>,
"sunil.kumar20@gov.in" <sunil.kumar20@gov.in>, "so-cdn-mines@nic.in" <so-cdn-
mines@nic.in>, "harisingh.meena93@gov.in" <harisingh.meena93@gov.in>, "js.distribution-
mop@gov.in" <js.distribution-mop@gov.in>, "ipds-power@gov.in" <ipds-power@gov.in>,
"rohitkumar.dgsnd@gov.in" <rohitkumar.dgsnd@gov.in>,
"r.saraswat@nic.in" <r.saraswat@nic.in>, "nitin.kumar57@gov.in" <nitin.kumar57@gov.in>,
"ramit.maurya@gov.in" <ramit.maurya@gov.in>, "js-doppw@gov.in" <js-doppw@gov.in>,
"lal.chhandama@gov.in" <lal.chhandama@gov.in>,
"manoj.kumar97@gov.in" <manoj.kumar97@gov.in>, "prachip@gov.in" <prachip@gov.in>,
"shikha.27@gov.in" <shikha.27@gov.in>, "vs.chikkala@nic.in" <vs.chikkala@nic.in>
Cc: "Saraswathi Chandrashekhar" <saraswathi.66@gov.in>, "Dheeraj
Anand" <dheerajanand@recindia.com>, "Praveen Kumar Jatoth" <praveen@recindia.com>,
"cap-pmsg@gov.in" <cap-pmsg@gov.in>, "Anubhav Uppal" <anubhav.mnre@gov.in>,
"Gagan kumar vats" <gaganvats-con@recindia.com>, "Deepak
Kumar" <deepakkumar@recindia.com>, "SAURAV DAS" <sauravdas@recindia.com>

Date: Fri, 10 Jul 2026 17:38:16 +0530

Subject: Fw: Inputs required for Rajya Sabha Parliament Question Diary Number S200 to be answered on 21/07/2026 regarding RTS on Government Buildings.

===== Forwarded message =====

Respected Sir/Madam,

This is with reference to the submission of the status of Government Buildings Solarization (GBS) in Central Ministries/Departments.

In this connection, an Action Plan for the solarization of Government Buildings was sought from all Ministries/Departments. However, the duly signed/approved copy of the Action Plan from your Ministry/Department is still awaited.

Further, a Parliament Question on Government Buildings Solarization has been admitted, and the requisite information is required to be compiled urgently.

In view of the above, you are requested to kindly submit the **duly approved/signed Action Plan by the Secretary of the Ministry/Department** in the prescribed format latest by **13.07.2026** to facilitate timely submission of inputs for the Parliament Question.

This matter may kindly be treated as MOST URGENT.

Regards,

RTS-GOVERNMENT BUILDING SOLARIZATION

REC Ltd. - National Program Implementation Agency (NPIA)

PM-Surya Ghar Yojana, MNRE

From: Anubhav Uppal <anubhav.mnre@gov.in>

Sent: Friday, July 10, 2026 2:46 PM

To: ED PMSGMBY <ed.pmsgmby@recindia.com>

Cc: Government Building Solarisation <rts-gbs@recindia.com>; Jeevan Kumar Jethani <jethani.jk@nic.in>; Mir Mohammed Ali <mir.ali@ias.nic.in>; ROOFTOP SOLAR <rts-govtb@gov.in>; Praveen Kumar Jatoth <praveen@recindia.com>; Saraswathi <saraswathi@recindia.com>; Dheeraj Anand <dheerajanand@recindia.com>

Subject: Inputs required for Rajya Sabha Parliament Question Diary Number S200 to be answered on 21/07/2026 regarding RTS on Government Buildings.

Dear Mam

As you are aware, the Monsoon Session of Parliament will commence shortly. It is likely that Parliament Questions (PQs) on Government Building Solarisation (GBS) will be raised in the Parliament.

Therefore, It is requested that GBS vertical may kindly ensure availability of Ministry/Dept wise and State wise data for reporting GBS progress in PQs.

Further, PI find attached provisionally admitted Rajya Sabha Parliament Question Diary Number S200 to be answered on 21/07/2026 regarding RTS on Government Buildings.

In this regard, GBS vertical is requested to kindly provide inputs for framing reply to the above said PQ. Inputs may be provided including state wise GBS progress, reasons for shortfall/ challenges in solarisation, progress of solarisation for both Central & State Government Buildings in West Bengal, etc.

Desired inputs may be provided by Monday positively.

Anubhav Uppal
Sc D
MNRE

REC

DISCLAIMER: The contents of this e-mail and any attachment(s) with it are confidential and intended for the sole use of named recipient(s) and may contain legally confidential and / or privileged information. It shall not attach any liability on the originator or REC Limited or its subsidiaries. If the reader of this message is not the intended recipient, immediately inform the originator by replying e-mail and delete this mail with all content(s) and attachment(s). Any unauthorized reproduction, dissemination, copying, disclosure, modification, distribution and / or publication of this e-mail (either in full or in part) and attachment is strictly prohibited and may be unlawful. Before opening any mail and attachments please check them for viruses and defect. The recipient should check the email for threats with proper software, as the sender does not accept liability for any damage inflicted by viewing the content of this email. Please do not print this email unless it is necessary.

Warm regards,

Section Cx-9

O/o The Commissioner Coordination, CBIC,
Hall No. 16049, A Wing, 6th Floor,
Kartavya Bhawan-1

3 Attachment(s)

Diary No-S200 for 21.07.2026....
313.8 KB

D.O. Letter to Chief secretaries...
1.7 MB

Format for Action Plan on Gov...
14.9 KB

Roof Top Solar on Government Buildings

parliament.mnre < parliament.mnre@gov.in >

rsqns@sansad.nic.in < rsqns@sansad.nic.in >

Wed, 08 Jul 2026 5:34:37 PM +0530

To "parliament.mnre"<parliament.mnre@gov.in>

PROVISIONALLY ADMITTED QUESTION FOR THE RAJYA SABHA

Starred /Unstarred Diary No.-- S200

The Question Will be put down for -- 21/07/2026

Answer on the Ministry Department -- New and Renewable Energy(NRE)

Roof Top Solar on Government Buildings

REC [(a) whether the target of saturating all eligible Central Government buildings with rooftop solar installations under the PM Surya Ghar: Muft Bijli Yojana by December 2025 has been achieved, and if not, the reasons therefor; (b) the State-wise targets and achievements, including the number of government buildings covered, rooftop solar capacity installed (MW), funds released, and names of States/UTs falling short of targets with reasons therefor; and (c) the details for West Bengal, including Central and State Government buildings covered, installed capacity, funds released, pending proposals, and the timeline for completion?

JS (JVNS)
Sci.F (JKS)
Anurag Uppal

MNRE (Parl.) Unit
Dy. No. 07.....Dt. 09/07/26

JKS
2



कार्यालय मुख्य आयुक्त
Office of the Chief Commissioner
सीजीएसटी एवं केन्द्रीय उत्पाद शुल्क (जयपुर परिक्षेत्र), जयपुर
CGST & Central Excise (Jaipur Zone), Jaipur

ई-हस्ताक्षरित

सेवा में,

Additional Director General,
DGHRD, New Delhi
Email: dghrdcbic-saket@gov.in

विषय: Inputs required for Rajya Sabha Parliament Question Diary Number S200 to be answered on 21/07/2026 regarding RTS on Government Buildings - reg

महोदय / महोदया,

With reference to above mentioned subject, please refer to your office email dated 16.07.2026.

2. In this regard, the requisite information in respect of CGST & CE Jaipur Zone, Jaipur is as under:

a) There are total 19 eligible Government-owned buildings under the jurisdiction of this office. Out of these, 3 buildings have been covered under the rooftop solar programme. Further, details in respect all 19 buildings have been submitted to DGHRD vide this office letter dated 28.04.2026 (copy enclosed).

b) The details of 3 buildings covered under the rooftop solar programme are as under:

S. No.	Name of Office	Address	Capacity of Solar Plants
1	CGST & CE Commissionerate, Udaipur	H-Block, 100 Ft Road, Sector-14, Hiran Magri, Udaipur	0.02 MW
2	CGST Division - Bhilwara	New GST Bhawan, 11-Azad Nagar, Bhilwara	0.02 MW
3	CGST & Central Excise Officers Residential Colony	OTS Chauraha, JLN Marg, Jaipur	0.03 MW

c) Does not pertain to this office.

This issues with the approval of the Chief Commissioner.

भवदीय,

संलग्न: यथोपरी

Digitally signed by
SHARMA SURYAPRAKASH GULABCHAND
Date: 17-07-2026 11:35:11

(शर्मा सूर्यप्रकाश गुलाबचंद)
संयुक्त आयुक्त

नव केन्द्रीय राजस्व भवन, स्टेच्यू सर्किल, सी-स्कीम, जयपुर - 302005(राजस्थान)

फोन : 0141-2385155; फैक्स: 0141-2385130, ईमेल: ccu-cexjpr@nic.in,

वेबसाइट: www.cgstjaipur.gov.in, ट्वीटर : @CGSTJAIPURZONE



कार्यालय मुख्य आयुक्त
Office of the Chief Commissioner
सीजीएसटी एवं केन्द्रीय उत्पाद शुल्क (जयपुर परिक्षेत्र), जयपुर
CGST & Central Excise (Jaipur Zone), Jaipur

फा.सं. I/(4)/OTH/20/2020-ADMN

सेवा में,

संयुक्त निदेशक (I&W, EMC),
मानव संसाधन विकास महानिदेशालय,
केंद्रीय अप्रत्यक्ष कर एवं सीमा शुल्क बोर्ड,
इरकॉन बिल्डिंग, ग्राउंड फ्लोर,
प्लॉट न. सी - 8, डिस्ट्रिक्ट सेंटर, साकेत
नई दिल्ली-110017

महोदय,

विषय: Installation of Rooftop Solar Panels.

कृपया अपर महानिदेशक, डीजीएचआरडी (I&W/EMC), नई दिल्ली के अर्द्धशासकीय पत्र संख्या InW/Misc/20/2025-Infra दिनांक 24.09.2025 का सन्दर्भ लेवे।

2. उपरोक्त संदर्भ में, सीजीएसटी एवं केंद्रीय उत्पाद शुल्क, जयपुर परिक्षेत्र, जयपुर से संबंधित वांछित रिपोर्ट निर्धारित प्रपत्र में (लोकेशन विवरण एवं विद्युत बिलों सहित), सूचना एवं आवश्यक कार्यवाही हेतु अग्रेषित की जा रही है।

भवदीय,

संलग्न:- यथोपरि।

Digitally signed by
DINESH SINGH DEWAL
Date: 28-04-2026
18:27:29

(दिनेश सिंह देवल)
अपर आयुक्त

नव केंद्रीय राजस्व भवन, स्टेच्यू सर्किल, सी-स्कीम, जयपुर - 302005 (राजस्थान)

फोन : 0141-2385155; फैक्स : 0141-2385130, ईमेल : ccu-cexjpr@nic.in,

वेबसाइट: www.cgstjaipur.gov.in, ट्वीटर : @CGSTJAIPURZONE

CGST & CX. Jaipur Zone, Jaipur																				
(Data format for Government Building to access Potential for Roof top Solar installation)																				
1			CGST & CX Commissionerate, Jaipur																	
			Inputs to be filled																	
	Sr. No		Required details																	
	1		Name of the Ministry																	
	2		Name of the Department																	
	3		Details of the Nodal Officer																	
	a		Name																	
	b		Designation																	
	c		Phone No.																	
	d		Mobile No.																	
	e		Email id																	
	4		Details of each attached Office																	
	Site Name/ Details		Location details						Type of ownership (Owned / Leased)	If Leased status of Rooftop rights	Total sanctioned load	* Total consumption (average monthly consumption)	No of Buildings	Name / identifier of the Building		Total Rooftop area available	Total feasible area for RTS installation	Total feasible capacity for RTS instillation	Current status of RTS installation-Installed capacity	Remarks (if any)
			Address	District	State	Pin Code	Latitude	Longitude												
1		CGST & CX, Div. D to I, Jaipur	Sector-10, Vidhyadhar Nagar	Jaipur	Rajasthan	302039	26.9691	75.7873	Owned	NA	92	11293	1	1	CGST Div. D to I, Jaipur	475.43	356.57	35.66	Not installed	There are 7 multi storied blocks in this colony.
2		Customs & Central Excise Residential Colony	Sector-7, Vidhyadhar Nagar	Jaipur	Rajasthan	302039	26.9667	75.7842	Owned	NA	18	5195	7	1	Block A & B	2546.98	1910.24	191.02	Not installed	
													2	Block C	Not installed					
													3	Block D1	Not installed					
													4	Block D2	Not installed					
													5	Block D3 & D4	Not installed					
													6	Block D5, D6 & E	Not installed					
													7	Block D7	Not installed					
3		CGST & Customs Guest House	A-139-140, Rajasthan Housing Board Complex, Gol Market, Jawahar Nagar	Jaipur	Rajasthan	302004	26.8924	75.8396	Owned	NA	1	965	1	1	Sunrise 'Block A'	NA			It is a multi sotried building, constructed by Rajasthan Housing Board. Only 2 flats of this building are used for guest house purpose. Roof rights are not available.	
4		CGST & Customs Officers Residential Colony	Near OTS Choraha, J.L.N. Marg	Jaipur	Rajasthan	302017	26.866	75.8061	Owned	NA	33	3547	6	1	QTR No. VI/1	375	291	29	Already installed	Solar panels are already installed in the colony.
													2	QTR No. VI/2						
													3	QTR No. VI/4						
													4	QTR No. VI/5						
													5	QTR No. VI/6						
													6	Type V Block						
5		Central Excise Residential Colony	Panchsheel Nagar, Makarwali Road	Ajmer	Rajasthan	305004	26.5147	74.6347	Owned	NA	7	116	7	1	Block-A, T-IV Qtr.	135	NA		Not installed	The Colony requires major repairs, and a proposal in this regard has already been forwarded to the DGHRD. As the premises are presently in an uninhabitable condition, installation of rooftop solar panels is not considered feasible at this stage.
														2	Block-B, T-III qtr.	170			Not installed	
														3	Block-C, T-III qtr.	170			Not installed	
														4	Block-D, T-III qtr.	170			Not installed	
														5	Block-E, T-II qtr.	150			Not installed	
														6	Block-F, T-II qtr.	150			Not installed	
														7	Block-G, T-III qtr.	112			Not installed	
2			CGST & CX Commissionerate, Alwar																	
			Inputs to be filled																	
	Sr. No		Required details																	
	1		Name of the Ministry																	
	2		Name of the Department																	
	3		Details of the Nodal Officer																	
	a		Name																	
	b		Designation																	
	c		Phone No.																	
	d		Mobile No.																	
	e		Email id																	
	4		Details of each attached Office																	
	Site Name/ Details		Location details						Type of ownership (Owned / Leased)	If Leased status of Rooftop rights	Total sanctioned load	* Total consumption (average monthly consumption)	No of Buildings	Name / identifier of the Building		Total Rooftop area available	Total feasible area for RTS installation	Total feasible capacity for RTS instillation	Current status of RTS installation-Installed capacity	Remarks (if any)
			Address	District	State	Pin Code	Latitude	Longitude												
1		CGST Commissionerate Alwar	A, Block, Surya Nagar, Alwar (Ra.)-301001	Alwar	Rajasthan	301001	27.55453	76.652359	Owned	NA	100	11422	2	1	CGST Commissionerate Alwar	1061	921.5	92	Not Installed	
2		CGST Division-C & D Bhiwadi	Division Offices, Alwar Bypass Road, Bhiwadi	Alwar	Rajasthan	301019	28.20745	76.806913	Owned	NA	70	3549	1	2	CGST Division-C & D Bhiwadi	410.17	381.25	38	Not Installed	
3		CGST Range Office Bhiwadi	Range Offices, Dhaba Complex Phool Bagh, Bhiwadi	Alwar	Rajasthan	301019	28.21079	76.864374	Owned	NA	8.06	879	1	3	CGST Range Office Bhiwadi	88.15	70	7	Not Installed	
4		CGST Division-E Behror	CGST Division E, Near BSNL Office, RIICO Colony, Behror(Alwar, Ra.)- 301701	Behror	Rajasthan	301701	27.89226	76.296844	Owned	NA	30.09	2123	1	4	CGST Division-E Behror	1004	154.25	16	Not Installed	
5		CGST Division-F Bharatpur	CGST Range-XXV & XXVI & Div.-F (HO), Bharatpur	Bharatpur	Rajasthan	321001	27.20577	77.50542	Owned	NA	10	2450	1	5	CGST Division-F Bharatpur	198	89.78	9	Not Installed	

CGST COMMISSIONERATE JODHPUR																			
Sr. No	Required details		Inputs to be filled																
1	Name of the Ministry		Ministry of Finance																
2	Name of the Department		Department of Revenue																
3	Details of the Nodal Officer																		
a	Name		Dr. Gyanendra Kumar Tripathi																
b	Designation		Additional Commissioner																
c	Phone No.		2912740115																
d	Mobile No.		8017049777																
e	Email id		gyanendra.tripathi@gov.in																
4	Details of each attached Office																		
Site Name/ Details			Location details					Type of ownership (Owned / Leased)	If Leased status of Rooftop rights	Total sanctioned load kW	* Total consumption (average monthly consumption) kWh	No of Buildings	Name / identifier of the Building		Total Rooftop area available Square meter	Total feasible area for RTS installation Square meter	Total feasible capacity for RTS installation kW	Current status of RTS installation-Installed capacity kW	Remarks (if any)
			Address	District	State	Pin Code	Latitude						Longitude	Sr.No					
1	Office of Superintendent, CGST Range - XIV, Gotan	Central Revenue Building,Harsolav Road, Gotan, Dist. Nagaur, 342902	Nagaur	Rajasthan	342902	26.6596	73.733613	Owned	NA	10	670	1	1	Near Sonal House, Harsolav Road, Gotan	85	80	7	Not installed	
2	CGST Div-E, Abu Road	Near LIC Building, RIICO Industrial Area, Palanpur Highway Abu Road	Sirohi	Rajasthan	307026	24.4587	72.7644	Owned	NA	15	225	1	1	CGST Div-E, Abu Road	170.48	150	10.5	Not installed	
5																			
CGST Udaipur																			
Sr. No.	Required details		Inputs to be filled																
1	Name of the Ministry		Ministry of Finance																
2	Name of the Department		Department of Revenue																
3	Details of the Nodal Officer																		
(a)	Name		Sh. Arvind Kumar Singh																
(b)	Designation		Additional Commissioner																
(c)	Phone No																		
(d)	Mobile No		9769525347																
(e)	Email id		arvind.s3566@gov.in																
3	Details of each attached Office																		
			Location details					Type of Ownership (Own)	If Leased Status of Rooftop rights	Total sanctioned load	* Total consumption (average monthly consumption)	No. of building	No. of identifier of the Buildings		Total Rooftop area available	Total feasible area for RTS installation	Total feasible capacity for RTS installation	Status of RTS Installation-Installed capacity	Remarks (if any)
Sr. No.	Attached Office (Head Quarter/PSs/Labs etc)		Address	District	State	PIN	Latitude						Longitude	Sr. No.					
1	Central GST Commissionerate, Udaipur,	H-Block, 100 Ft Road, Sector-14, Hiran Magri, Udaipur	Udaipur	Rajasthan	313001	24.54103	73.69394	Owned	NA	1331	18306	1	1	Central GST Commissionerate, Udaipur	664 Sqm.	400 Sqm.	40	20	20 KW Solar Penal has been installed on the rooftop of the building of Commissionerate. Proposal for additional 20 kW Solar Penal was sent to DGHRD on 29.05.2024 & 30.08.2024 for administrative approval and expenditure sanction.
2	Central GST Division-A, Udaipur 142 B, Hiran Magri, Sector- 11, Udaipur	Central GST Division-A, Udaipur 142 B, Hiran Magri, Sector- 11, Udaipur	Udaipur	Rajasthan	313001	24.55625	73.69309	Owned	NA	87.14	5945	2	1	Central GST Division-A	500 Sqm.	200 Sqm.	20		CPWD Submitted Survey report for installation of Solar Penal of 20 kW on 31.08.18 with P.E. of Rs.19,73,656/- which was forwarded to CCO for administrative and financial approval on 31.08.18. The CCO has forwarded to the Commissioner (logistic), New Delhi for AA & ES on 03.10.2018. Further, a letter dated 08.05.2024 has been written to CPWD, Jodhpur to inform as to whether the PE of Rs.19,73,656/- still stands sufficient during the current FY 2024-25 to carry out the project or it requires further revision. CPWD, Jodhpur vide letter dated 15.05.2024 informed that the said work would be executed according the preliminary estimate submitted on 31.08.2018 for the FY 2024-25. The same was forwarded to CCO for administrative approval and financial sanction on 31.05.2024. The CCO, Jaipur vide letter dated 24.06.2024 informed that the work of installation of solar panels by CPWD will be done under "RESCO Model". In this regard, On 16.07.2024 a letter has been sent to Superintending Engineer(Electrical) CPWD, Jodhpur. The reply is awaited.
														2	Guest House, 142-B, Hiran Magri, Sector- 11				
3	Central GST Division-D, Kankroli	Near Housing Board Colony, Opp. RK Hospital, Kankroli	Rajsamand	Rajasthan	313324	25.02557	73.88164	Owned	NA	10	1165	1	1	Central GST Division-D, Kankroli, (Rajsamand)	172 Sqm.	150 Sqm.	10		Revised survey report received from CPWD for installation of Solar Penal of 10 KW with Preliminary Estimate of Rs. 10,90,530/- was forwarded to CCO for administrative approval and financial sanction on 16.08.2023. The CCO has intimated that the proposal for installation of grid connected rooftop solar panel has been forwarded to the DGHRD, New Delhi on 25.08.2023 for AA & ES. Further response awaited.
4 (a)					311001	25.33394	74.61453	Owned	NA	234 KW	3694	3	1	CGST Division, Bhlwara, New GST Bhawan, 11-Azad Nagar, Bhlwara -311001	544.5	Already installed	20	20	Solar Panel was installed by CPWD during construction of building and Solar connection has been completed on 05.04.2024 by AVNLT, Ajmer
(b)					311001	25.33382	74.61429	Owned	NA	16.7 KW	1030		2	CGST Division, Bhlwara Old GST Bhawan, 10-Azad Nagar, Bhlwara-311001	544	450 Sqm	20		Revised survey report received from CPWD, Jodhpur for installation of Solar Penal of 20 KW on 02.05.2024 with Preliminary Estimate of Rs.18,36,488/- was forwarded to CCO for administrative approval and financial sanction on 16.05.2024. The CCO, Jaipur vide letter dated 24.06.2024 has informed that the work of installation of solar panels by CPWD will be done under "RESCO Model". In this regard, On 16.07.2024 a letter has been issued to Superintending Engineer (Electrical) CPWD, Jodhpur. The reply is awaited.

	(C)	CGST Division, Bhilwara	New GST Bhawan, 11-Azad Nagar, Bhilwara	Bhilwara	Rajasthan	311021	25.90239	74.64959	Owned	NA	14 KW	900		3	CGST Range- 23, 24, 25, Gulabpura - 311021	570.13	450 Sqm	10		CPWD Submitted Survey report for installation of Solar Penal of 10 kW on 28.08.18 with P.E. of Rs.10,30,047/- which was forwarded to CCO for administrative and financial approval on 24.10.18. The CCO, Jaipur has intimated that the proposal for installation of grid connected rooftop solar panel has been forwarded to the Commissioner (logistic), New Delhi for AA & ES on 29.10.2018. Further, CPWD, Jaipur has submitted revised survey report on 02.05.2024 for installation of Solar Penal of 10 KW with Preliminary Estimate of Rs.10,86,421/- which was forwarded to CCO for administrative approval and financial sanction on 16.05.2024. The CCO, Jaipur vide letter dated 24.06.2024 has informed that the work of installation of solar panels by CPWD will be done under "RESCO Model". In this regard, a letter has been sent to Superintending Engineer (Electrical) CPWD, Jodhpur on 16.07.2024. The reply is awaited.
	5 (a)	Central GST, Division-G, Chittorgarh	Plot No.168-172, Sector-IV, Gandhi Nagar, Chittorgarh	Chittorgarh	Rajasthan	312001	24.88002	74.63643	Owned	NA	18 KW	1200	2	1	Central GST, Division-G, Chittorgarh	447	140 Sqm.	10		CPWD submitted revised survey report for installation of Solar Penal of 10 KW on 11.07.2023 with Preliminary Estimate of Rs.10,90,530/- which was forwarded to CCO for administrative approval and financial sanction on 10.08.2023. The CCO vide endorsement dated 17.08.2023 has intimated that the proposal for installation of grid connected rooftop solar panel has been forwarded to the DGHDRD, New Delhi for AA & ES. Further response awaited.
	(b)		GST Range-XXX, Road No.5, Rati Talai, Banswara	Banswara	Rajasthan	327001	23.55196	74.43645	Owned	NA	9 KW	258		2	CGST Range-XXX, Banswara	520	165 Sqm.	10		CPWD submitted revised survey report for installation of Solar Penal of 10 KW on 11.07.2023 with Preliminary Estimate of Rs.10,90,530/- which was forwarded to CCO for administrative approval and financial sanction on 10.08.2023. The CCO vide endorsement dated 17.08.2023 has intimated that the proposal for installation of grid connected rooftop solar panel has been forwarded to the DGHDRD, New Delhi for AA & ES. Further response awaited.

Note ->The data shown in cloumn M is total average consumption on monthly basis.